












## **Energy Storage System**

**Market Analysis & Application Reference** 





#### Global Market Size



The global chemical ESS capacity is 6.6 GW in 2018 which is \$1.98 Billion , growth 126% than 2017, expected to 11GW in 2020

The fast-growing regions are Australia, German, USA, England, Italy, China, Japan, North Korea and S.E. Asia


Among Whole Chem ESS, Li-thium ESS occupies 70% share. AIPG Products portfolio can find more applications in the Li-thium ESS








#### Market Growth in China



The Chinese chemical ESS capacity is 1.07GW in 2018, growth 175% than 2017, expanding at a GAGR over 70% from 2018, expected to 3GW in 2020.




In Chinese ESS market, the end market is mainly for Industrial and Utility, the biggest end user is State Grid.







## **How Energy Storage Works**









# Residential, Commercial & Industrial and Utility ESS

Residential		Commercial & Industrial		Utility	
IP rating	Indoor IP21 Outdoor IP65	IP Rating	Indoor IP21	IP Rating	Indoor IP21
	¥FGes.A.				
Cell		Cell		Cell	
Moudle : Battery Pack, Hybrid Inverter		Moudle: Battery Pack, BMS, PCS		Moudle: Battery Pack, BMS, PCS, Combiner Box	
System		System		System	





# Residential, Commercial & Industrial and Utility ESS

	Residential	Commercial & Industrial	Utility	
End market	Oversea (EU, Australia, US)	Oversea & Domestic	Oversea & Domestic	
Power range	3KWh ~ 18KWh	20KWh~ 100KWh	100KWh~ 3MWh	
power connector unit quantity	4~16 pcs / set	2pcs / 10KWh	200pcs /1MWh	
Rated current range	50A~100A	100A~ 160A	160A~ 350A	
AIPG estimated sales Value by unit	USD\$ 100/ set	USD\$ 50 /10KWh	USD\$ 5K /1MWh	





# **Product Application**

	Battery Pack	Hybrid Inverter	PCS	System
	60g <b>2</b>			ATARONOMIA
MBC	<b>✓</b>			
Surlok Plus	<b>✓</b>	<b>~</b>		
RJ 45	<b>✓</b>	<b>✓</b>		
Vent		<b>✓</b>		
H4 Bulkhead		<b>✓</b>		
C016		<b>✓</b>		
Powerlok 4.0		<b>✓</b>	<b>~</b>	
Terminal block		<b>✓</b>		
Cable assembly		<b>✓</b>		<b>~</b>

<u>Amphenol</u>





### **EES System Voltage**



#### Features:

- Residential ESS
- 48V DC
- parallel connection when capacity expasion
- Normally each Battty Pack / Module use 4 pcs power connector
- Safe Voltage but lower efficency than High voltage ESS



#### Features:

Residential ESS , Commercial & Industrial ESS ,Utility

120V ~ 1000V DC

Series connection when capacity expasion

Normally each Battry Pack / Module use 2 pcs power connector

Higher System Efficency than Low voltage ESS









Renewable Energy consumption











Grid & the aunxiliary market

Normally, the auxiliary market is for peak-shaving and frequency-shaving. Among them, frequency-modulation assists thermal power generation and improve power quality. Therefore, it requires a higher discharge rate for batteries, usually 2-3C, while peak-shaving is relatively low, generally about 0.5C.











User-side ESS












Off grid and Island ESS









## Major Player









































































## **Success Story Reference**



CUSTOMER: PYLON

**PRODUCT:** SURLOK PLUS 5.7 & 8.0mm APPLICATION: Residential & Commercial ESS











#### **Panasonic**

**CUSTOMER:** Panasonic

**PRODUCT:** SURLOK PLUS 10.3mm

**APPLICATION:** Comercial ESS











**CUSTOMER:** LG Chem

**PRODUCT:** SURLOK PLUS 5.3mm Customized

**APPLICATION:** Residential storage















CUSTOMER: ALPHA

**PRODUCT:** SURLOK PLUS 5.7 & 8.0mm APPLICATION: Residential & Comercial ESS











#### DYNAVOLT TECH. 猛狮科技

**CUSTOMER:** Dynavolt

PRODUCT: SURLOK PLUS 10.3mm

APPLICATION: Comercial & Industrial ESS











#### Narada南部

**CUSTOMER:** Narada Power

PRODUCT: SURLOK PLUS 8.0mm

APPLICATION: Comercial&Indurstrial ESS











**CUSTOMER:** ZTT ESS

PRODUCT: SURLOK PLUS 10.3mm
APPLICATION: Comercial & Industrial ESS













CUSTOMER: AKASOL Germany
PRODUCT: SURLOK PLUS
APPLICATION: Comercial ESS
PROGRAM VALUE: \$100K











**CUSTOMER:** Soltaro

**PRODUCT:** SURLOK PLUS 5.7mm

**APPLICATION:** Residential & Comercial ESS









#### Growatt 古瑞瓦特

**CUSTOMER:** Growatt

**PRODUCT:** SURLOK PLUS 5.7mm

**APPLICATION:** Residential ESS









# invt 英威腾

CUSTOMER: INVT

**PRODUCT:** SURLOK PLUS 5.7mm

**APPLICATION:** Residential & Comercial ESS











**CUSTOMER:** Sermatec

**PRODUCT:** SURLOK PLUS 5.7mm

**APPLICATION:** Residential & Commercial ESS









#### 

CUSTOMER: Soluna

**PRODUCT:** SURLOK PLUS 5.7mm

**APPLICATION:** Residential & Comercial ESS



